

Main Topics

Java Fundamentals

I expect you to have a basic mastery of control structures (loops, conditionals), statements, arrays, function declaration, definition, and invocation, and language syntax. I won't be testing you explicitly on this, but of course you won't be able to write much code without this! Exam questions will focus on:

Basic object-oriented syntax and terminology (class, object, instance variable, subclass, etc)

Primitive vs reference types.

Java API, packages.

Public, private, and package access.

Polymorphism: inheritance and interfaces

Overloading and overriding

Object lifecycle: object construction, garbage collection.

Static versus instance members

Design patterns in Java, especially Decorator, Strategy, MVC.

Professional Practice

Style and Documentation

Version control and Git/GitHub

Graphics and User Interface

Basics of Swing Basics of Swing application construction

Drawing with Graphics objects

UI components and events: interfaces, event handlers

Network Programming

Exceptions.

Protocols and HTTP.

IP, TCP, and Sockets

Websockets

Structure and Tactics

See the midterm review sheet!

The next page will be appended to the exam, a very condensed API! That is, I'll give you this sheet of method names and parameters; you will need to know how/where to use them. (Of course, not all of these will necessarily appear on the exam.) If you need more specialized methods, I will describe them in the exam question.

(After that page, see application activities for review.)

Graphics

drawLine(int x1, int y1, int x2, int y2)
drawOval(int x, int y, int width, int height)
drawRect(int x, int y, int width, int height)
drawString(String str, int x, int y)
setColor(Color c)

JTextField/JTextArea

JTextField()
JTextField(int columns)
JTextField(String text)
JTextField(String text, int columns)
String getText()
setText(String t)

Component

addKeyListener(KeyListener l)
addMouseListener(MouseListener l)
addActionListener(ActionListener l)

ActionListener

actionPerformed(ActionEvent e)

KeyListener

keyPressed(KeyEvent e)
keyReleased(KeyEvent e)
keyTyped(KeyEvent e)

MouseListener

mouseClicked(MouseEvent e)
mouseEntered(MouseEvent e)
mouseExited(MouseEvent e)
mousePressed(MouseEvent e)
mouseReleased(MouseEvent e)

EventObject

Object getSource()

Observer

update(Observable obs, Object o)

Observable

addObserver(Observer o)
notifyObservers()
setChanged()

Socket

connect(SocketAddress endpoint)
close()
InetAddress getLocalAddress()
InputStream getInputStream()
OutputStream getOutputStream()

ServerSocket

Socket accept()

ServerEndpoint/ ClientEndPoint

onClose(Session session, CloseReason reason)
onError(Session session, Throwable thr)
onOpen(Session session)
onMessage(String message, Session session)
onMessage(Object object, Session session)

Session

RemoteEndpoint.Basic getBasicRemote()
Map<String, Object> getUserProperties()

Encoder.Text<T>

String encode(T object)

Decoder.Text<T>

T decode(String s)
boolean willDecode(String s)

Map<String, Object>

get(String key)
put(String key, Object value)

RemoteEndpoint.Basic
sendObject(Object data)
sendText(String text)

Thread

start()
join()
sleep(long millis)
Object.wait()
Object.notify()

UnicastRemoteObject

RemoteStub exportObject(Remote obj)

String

String toUpperCase()
String substring(int begin)
String substring(int begin, int end)
int indexOf(int ch)
int indexOf(String s)

Enum

int compareTo(E o)
String toString()
E valueOf(String)

Object

wait()
notify()
Class getClass()

JsonObject

add()
build()
getString()

Json

[static] createObjectBuilder()
[static] createReader(Reader r)

Here are two of the CheckStrategy examples from the reading

```
public class StartWithT implements CheckStrategy
{
    public boolean check(String s)
    {
        if( s == null || s.length() == 0) return false;
        return s.charAt(0) == 't';
    }
}
```

```
public class LongerThanN implements CheckStrategy
{
    public LongerThanN(size n) {this.n = n;}
    private int n;

    public boolean check(String s)
    {
        if(s == null) return false;
        return s.length() > n;
    }
}
```

Write a Strategy class that checks to see if a word starts with a given character—just as LongerThanN checks for words longer than a given length. (This is just a Java warmup and a chance to discuss the Strategy pattern.)

You are implementing an endless runner. In your initial release, the character will be able to walk or run, but in future releases, you may be adding flying, swimming, crawling underground, and so on. Design a Strategy (an interface) to help you deal with this uncertainty. Give examples (names) of classes that might implement this strategy.

The reading claims that the Java API classes Reader and BufferedReader are a good example of the Decorator pattern. What is the Reader class?

- a) A class that reads input from a file or the keyboard.
- b) An abstract class with methods for reading characters from some source.
- c) A class that implements the Readable and Closeable interfaces.
- d) b and c.
- e) All of the above.

What is the object-oriented relationship between BufferedReader and Reader?

- a) BufferedReader IS-A Reader
- b) BufferedReader HAS-A Reader
- c) Both a and b
- d) Neither a nor b

So how does a `BufferedReader` “decorate” a `Reader` object?

- a) It separates (i) the user’s request to read something from (ii) the action of reading directly from the character source.
- b) It “collects” a bunch of read requests, then issues them all at once to the character source.
- c) It reads a big chunk of characters from the character source, then uses that chunk to respond to read requests.
- d) Both a and b.
- e) Both a and c.

Which of these other descendants of `Reader` are Decorators? (Possible multiple answers!)

- a) `CharArrayReader`
- b) `FilterReader`
- c) `InputStreamReader`
- d) `LineNumberReader`
- e) `StringReader`

Which sentence from the reading is the best capsule explanation for the Decorator pattern?

- a) To the client the decorator is invisible.
- b) You can think of a decorator as a shell around the object decorated.
- c) Decorators are used to provide additional functionality to an object of some kind.
- d) The key to a successful Decorator is to have a set of objects defined by an interface.
- e) The decorator implements the same interface as the object it decorates.

I’m working on a graphic animation library. One fundamental element is a `Shape`, which has the behaviors

```
void paint(Graphics g)
Point getCenter()
void move(int deltaX, int deltaY)
```

I would also like some `Shapes` to move automatically (say, some number of pixels per frame), some `Shapes` to rotate automatically (some number of degrees per frame), and some `Shapes` to shrink automatically (some number of pixels per frame). And, of course, some `Shapes` may need to do several of these things at once.

Come up with a Decorator-based design for this problem.

The Iterator design pattern is most closely related to which part of Java?

- a) Arrays
- b) Enums
- c) The enhanced for loop
- d) Primitive type wrapper classes

Which of these is not a good reason to implement an Iterator?

- a) If you change your mind about how you store your data, you don't want to change how you traverse it.
- b) You want to be sure that you can "visit" each element in the most efficient way possible.
- c) You want to be able to traverse your complex data in several different ways.
- d) You don't want users to have to know the details of how you store data.

What is the essential purpose of the Model-View-Controller pattern?

- a) Make it easier to "plug in" different GUI components
- b) Make it easier to combine GUIs and networks (such as the WWW)
- c) Separate information from how it is presented
- d) Separate the GUI into 'display' and 'control' elements
- e) b and c

Which of these are typical relationships among the Model, View, and Controller?

- a) Controller tells Model to update its data
- b) Model tells View that data has changed.
- c) Model sends an "update" event to the Controller
- d) a and b
- e) a and c

Think about the base 4 calculator. Which MVC component(s) does the Base4Calc (the "actual" calculator) represent?

- a) Model
- b) View
- c) Controller
- d) a and b
- e) b and c

True or false: a Swing component can be part of the View, or part of the Controller, but not both.

- a) True
- b) False

Do the exercise described on page 6 of “simple MVC example in Java” from the reading. The Clock code as given is on GitHub at <https://github.com/BC-CISC3120-F16/class19-code>

The exercise instructions:

- Remove the tick button
- Add a `Timer` object to `ClockController`
 - Remember to `start()` it after creating it
- Create a class to listen to the timer and advance the clock
 - It must implement `ActionListener`
 - `actionPerformed()` must increment the clock every second (1000 milliseconds)
 - You may use an anonymous inner class, similar to those that listen to the buttons
 - You can use the `tickButton actionPerformed()` logic
- No changes in `ClockView` or `ClockModel`

Swing allows you to create a `Timer` that will send an event once or repeatedly after a timeout that you set.

The event is an `ActionEvent`. The listener must implement the `ActionListener` interface

How to create a `Timer`: `Timer t = new Timer(intervalInMillisecs, listener);`

How to start and stop a `Timer`: `t.start(); t.stop();`

How to tell a `Timer` to fire only once: `t.setRepeats(false);`

Which sort of stream is “lower level,” or, closer to the hardware?

- a) Connection stream
- b) Chain stream

Serialization saves not just an object, but the

- a) object chart
- b) object graph
- c) object diagram
- d) subclass tree

`Serializable` is a *marker* interface, which means

- a) It contains a single method called `marker()` (the signature may vary across different marker interfaces)
- b) It contains `mark()` and `unmark()` methods, as well as any other methods specific to the interface
- c) It contains no methods
- d) It is in the package `javax.serialize`.

When is a `NotSerializableException` exception thrown (thrown)?

- a) When you try to serialize an object of a class that doesn't implement `Serializable`.
- b) When you try to serialize an object that contains an object of a class that doesn't implement `Serializable`.
- c) When you try to deserialize an object of a class that doesn't implement `Serializable`.
- d) a and b
- e) a, b, and c

What is “risky” about the object serialization process?

- a) Creating an `ObjectInputStream` object
- b) Creating an `ObjectOutputStream` object
- c) Reading an object from an `ObjectInputStream`
- d) Writing an object to an `ObjectOutputStream`
- e) All of the above

In the Quiz Card code, p. 457, an exception is dealt with in a `catch` block, rather than thrown.

1. Would it be better to throw it and have the calling method deal? What would that look like?
2. What if I wanted to handle the exception by providing a message to the user through the GUI? What would have to change?

Consider the code snippet on p. 463, which shows how the BeatBox program saves a drum “pattern.”

Given that these patterns are represented in the GUI by `JCheckBox` objects, it kinda seems like the saving process should involve serializing the 256 `JCheckBox` objects that represent the pattern.

But it doesn't. Come up with at least 2 solid reasons the book uses the approach it does.

What is the difference between a `ServerSocket` and a `Socket`?

- a) The server's job is to connect; the client's job is to accept.
- b) The client's job is to connect; the server's job is to accept.
- c) The server produces information; the client consumes it.
- d) The client produces information; the client consumes it.

How does a `ServerSocket` object let us communicate with the client?

- a) It uses classes and methods from Java's `SocketStream` API.
- b) Provides an `InputStream` or `OutputStream` object we can use to read/write.
- c) Provides a `Socket` object representing a connection with the client.
- d) Connects the local keyboard and screen with the client.

Suppose I wanted to write a version of the `DailyAdviceClient` for people having especially bad days. I write the following in the `try` block:

```
Socket s = new Socket("127.0.0.1", 4242);
InputStreamReader streamReader = new InputStreamReader(s.getInputStream());
BufferedReader reader = new BufferedReader(streamReader);

String advice = reader.readLine();
System.out.println("Today you should: " + advice);

advice = reader.readLine();
System.out.println("Today you also should: " + advice);

reader.close();
```

What will the result be?

- a) Two fresh and delicious pieces of advice.
- b) The client application will throw an exception.
- c) The server application will throw an exception.
- d) Both applications will "freeze."

Suppose I want the `DailyAdviceServer` to be a little more helpful; when a new connection is made, it should identify itself to the client, so in the `while` loop I write

```
Socket sock = serverSock.accept();
PrintWriter writer = new PrintWriter(sock.getOutputStream());
writer.println("Welcome to the Daily Advice Server!");
String advice = getAdvice();
writer.println(advice);
writer.close();
System.out.println(advice);
```

What will be the result?

- a) The client user sees "Welcome to the Daily Advice Server!" followed by a yummy piece of advice.
- b) The client user sees some strange advice.
- c) The client application throws an exception.
- d) The server application throws an exception.
- e) Both applications freeze.

What is the *concrete* class returned by `getOutputStream()`?

The `ServerSocket` `accept()` method is blocking. This means

- a) All other clients are prevented from accessing the server until it finishes talking with this client.
- b) Nothing else is going to happen in the program until the `accept()` method finishes making its connection.
- c) The program doesn't need to use the CPU until the `accept()` method hears from a client.
- d) Both a and b.
- e) Both b and c.

What might a "non-blocking" `accept()` method do differently?

- a) Communicate with binary data instead of text.
- b) Return immediately, even if no client has tried to connect.
- c) Refuse clients if the server is too busy.
- d) Use a different port number.

The `@ServerEndpoint` annotation takes at least one parameter. What does this parameter indicate?

- a) The port number to listen on
- b) Which kind of messages the endpoint can receive
- c) The address of the endpoint within its containing server
- d) Which protocol to use

A client sends a text message to a WebSockets server endpoint. We know that the endpoint's `@onOpen` method will be called to receive/handle that message (and a `Session` object and a `String` object will be passed). Who/what calls that method?

- a) The client object.
- b) A `Socket` object
- c) The WebSockets server
- d) The JVM

Consider the following code.. If a client wants to play a word game, to what URL should it connect?

```
public class WebSocketServer {
    public static void main(String[] args) {
        runServer();
    }

    public static void runServer() {
        Server server = new Server("127.0.0.1", 8025,
            "/websockets", null, WordgameServerEndpoint.class);
        try {
            server.start();
            BufferedReader keyboard = new BufferedReader(
                new InputStreamReader(System.in));
            System.out.print("Please press a key to stop the server.");
            keyboard.readLine();
        } catch (Exception e) {
            throw new RuntimeException(e);
        } finally {
            server.stop();
        }
    }
}

@ServerEndpoint(value = "/game")
public class WordgameServerEndpoint {
    ...
}
```

- a) 8025://localhost/websockets/game
- b) localhost://game/websockets/8025
- c) ws://localhost:8025/websockets/game
- d) websockets://localhost/8025game